

## Symmetrical L-Profiles (Angles)

□ 4

### Notes:

\* The weight of each profile is calculated by measuring its cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

\*\* Alloy and Length is subject to customer's request.


\*\*\* Radii less than 1mm are not stated.

**A** = Width

**A** = Height

**t** = thickness

**r<sup>1</sup>, r<sup>2</sup>** = Corner radius



Profile Code	A (mm)	A (mm)	t (mm)	r <sup>1</sup> (mm)	r <sup>2</sup> (mm)	Area Flaeche (mm <sup>2</sup> )	Weight Gewicht (Kg/m)
04-0065	10	10	2	*		36	0,10
04-0056	15	15	1,2	*		35	0,09
04-0000	15	15	2			56	0,15
04-0001	15	15	3			81	0,22
04-0002	20	20	1,5			58	0,16
04-0003	20	20	2			76	0,21
04-0004	20	20	3			111	0,30
04-0049	20	20	4			144	0,39
04-0005	25	25	1,5			73	0,20
04-0066	25	25	1,6			77	0,21
04-0006	25	25	2			96	0,26
04-0007	25	25	3			141	0,38
04-0051	25	25	4			184	0,50
04-0063	25	25	5			225	0,61
04-0058	30	30	1,5			88	0,24
04-0062	30	30	1,8			105	0,28
04-0008	30	30	2			116	0,31
04-0009	30	30	3			171	0,46
04-0010	30	30	4			224	0,60
04-0040	30	30	5			275	0,74
04-0011	35	35	2			136	0,37
04-0012	35	35	3			201	0,54
04-0013	35	35	4			264	0,71
04-0055	35	35	5			325	0,88
04-0015	40	40	2			156	0,42
04-0014	40	40	3			231	0,62
04-0020	40	40	4			304	0,82
04-0021	40	40	5			375	1,01
04-0016	45	45	2			176	0,48
04-0048	45	45	5			425	1,15
04-0017	50	50	2			196	0,53
04-0018	50	50	3			291	0,79
04-0022	50	50	4			384	1,04
04-0023	50	50	5			475	1,28
04-0039	50	50	6			564	1,52
04-0044	50	50	8			736	1,99
04-0060	50	50	10			900	2,43

