

Asymmetrical L-Profiles (Angles)

Ungleichschenklige L-Profil (Winkelprofil)

Notes:

* The weight of each profile is calculated by measuring its cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

** Alloy and Length is subject to customer's request.


*** Radii less than 1mm are not stated.

A = Height

B = Width

t = thickness

r¹, r² = Corner radius



Profile Code	A (mm)	B (mm)	t (mm)	r ¹ (mm)	r ² (mm)	Area Flaeche (mm ²)	Weight Gewicht (Kg/m)
05-0105	15	10	2			46	0,12
05-0172	20	10	1,5			43	0,12
05-0000	20	10	2			56	0,15
05-0001	20	15	2			66	0,18
05-0084	25	10	2			66	0,18
05-0002	25	15	2			76	0,21
05-0003	25	20	2			86	0,23
05-0103	25	20	3			126	0,34
05-0004	30	10	2			76	0,21
05-0005	30	15	2			86	0,23
05-0006	30	20	2			96	0,26
05-0007	30	20	3			141	0,38
05-0134	30	20	4			184	0,50
05-0174	30	25	2			106	0,29
05-0085	35	10	2			86	0,23
05-0095	35	15	3			141	0,38
05-0008	35	20	2			106	0,29
05-0096	35	20	3			156	0,42
05-0009	35	25	2			116	0,31
05-0115	35	25	3			171	0,46
05-0164	40	10	2			96	0,26
05-0010	40	15	2			106	0,29
05-0011	40	20	2			116	0,31
05-0167	40	20	2,5			144	0,39
05-0012	40	20	3			171	0,46
05-0013	40	20	4			224	0,60
05-0083	40	20	5			275	0,74
05-0123	40	25	2			126	0,34
05-0014	40	25	3			186	0,50
05-0159	40	25	4			244	0,66
05-0015	40	30	2			136	0,37
05-0016	40	30	3			201	0,54
05-0017	40	30	4			264	0,71
05-0150	45	10	2			106	0,29
05-0153	45	20	2			126	0,34
05-0168	45	20	3			186	0,50
05-0018	45	30	3			216	0,58

Profile Code	A (mm)	A (mm)	t (mm)	r¹ (mm)	r² (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
05-0073	50	15	2			126	0,34
05-0019	50	20	2			136	0,37
05-0113	50	20	3			201	0,54
05-0076	50	25	2			146	0,39
05-0020	50	25	3			216	0,58
05-0162	50	25	4			284	0,77
05-0021	50	30	2			156	0,42
05-0022	50	30	3			231	0,62
05-0078	50	30	4			304	0,82
05-0030	50	30	5			375	1,01
05-0023	50	40	2			176	0,48
05-0024	50	40	3			261	0,70
05-0077	50	40	4			344	0,93
05-0144	50	45	5			450	1,22
05-0070	55	45	5			475	1,28
05-0142	60	10	2			136	0,37
05-0156	60	15	2			146	0,39
05-0025	60	20	2			156	0,42
05-0089	60	20	3			231	0,62
05-0133	60	25	2			166	0,45
05-0160	60	25	2,5			206	0,56
05-0166	60	25	3			246	0,66
05-0026	60	30	2			176	0,48
05-0027	60	30	3			261	0,70
05-0149	60	30	4			344	0,93
05-0031	60	30	5			425	1,15
05-0145	60	35	2			186	0,50
05-0028	60	40	2			196	0,53
05-0029	60	40	3			291	0,79
05-0032	60	40	4			384	1,04
05-0033	60	40	5			475	1,28
05-0125	60	40	6			564	1,52
05-0170	60	50	4			424	1,14
05-0126	60	50	5			525	1,42
05-0118	65	50	4			444	1,20
05-0130	65	50	5			550	1,49
05-0151	70	15	2			166	0,45
05-0141	70	15	3			246	0,66
05-0034	70	20	2			176	0,48
05-0092	70	25	2,5			231	0,62
05-0074	70	30	2			196	0,53
05-0100	70	30	3			291	0,79
05-0094	70	40	2			216	0,58
05-0114	70	40	5			525	1,42
05-0086	70	50	3			351	0,95
05-0165	75	30	5			500	1,35
05-0081	75	50	4			484	1,31
05-0079	75	50	5			600	1,62
05-0155	75	50	7			826	2,23
05-0035	80	20	2			196	0,53
05-0124	80	25	2			206	0,56

Profile Code	A (mm)	A (mm)	t (mm)	r¹ (mm)	r² (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
05-0090	80	25	2,5			256	0,69
05-0036	80	30	3			321	0,87
05-0037	80	40	2			236	0,64
05-0038	80	40	3			351	0,95
05-0039	80	40	4			464	1,25
05-0091	80	40	5			575	1,55
05-0082	80	40	6			684	1,85
05-0068	80	50	2			256	0,69
05-0136	80	50	4			504	1,36
05-0122	80	50	5			625	1,69
05-0152	80	50	6			744	2,01
05-9001	80	60	3			411	1,11
05-0120	80	60	4			544	1,47
05-0067	80	60	6			804	2,17
05-0128	90	40	2			256	0,69
05-0041	100	20	2			236	0,64
05-0163	100	25	2			246	0,66
05-0137	100	30	2			256	0,69
05-0042	100	30	3			381	1,03
05-0138	100	40	2			276	0,75
05-0043	100	40	3			411	1,11
05-0044	100	40	4			544	1,47
05-0157	100	50	2			296	0,80
05-0045	100	50	3			441	1,19
05-0046	100	50	5			725	1,96
05-0066	100	50	6			864	2,33
05-0104	100	50	8			1136	3,07
05-0087	100	50	10			1400	3,78
05-0135	100	60	4			624	1,68
05-0047	100	60	6			924	2,49
05-0119	100	60	8			1216	3,28
05-0117	100	64	8			1248	3,37
05-0116	100	70	2			336	0,91
05-0146	100	70	4			664	1,79
05-0099	100	80	4			704	1,90
05-0069	100	80	6			1044	2,82
05-0161	100	80	8			1376	3,72
05-0148	110	30	2			276	0,75
05-0169	110	80	10			1800	4,86
05-0097	120	20	2			276	0,75
05-0050	120	40	3			471	1,27
05-0071	120	40	4			624	1,68
05-0051	120	50	5			825	2,23
05-0052	120	60	6			1044	2,82
05-0053	120	60	8			1376	3,72
05-0054	120	80	3			591	1,60
05-0072	120	80	10			1900	5,13
05-0080	120	80	15			2775	7,49
05-0088	125	85	8			1616	4,36
05-0143	130	30	3			471	1,27
05-0173	130	80	6			1224	3,30

Profile Code	A (mm)	A (mm)	t (mm)	r¹ (mm)	r² (mm)	Area Flaeche (mm²)	Weight Gewicht (Kg/m)
05-0140	130	80	8			1616	4,36
05-0131	135	40	3			516	1,39
05-0132	135	40	6			1014	2,74
05-0139	135	100	5			1150	3,11
05-0055	140	40	3			531	1,43
05-0056	150	50	4			784	2,12
05-0098	150	50	5			975	2,63
05-0171	150	50	8			1536	4,15
05-0057	150	75	8			1736	4,69
05-0121	150	80	6			1344	3,63
05-0058	150	100	5			1225	3,31
05-0129	150	100	10			2400	6,48
05-0059	160	40	3			591	1,60
05-0147	160	40	4			784	2,12
05-0106	160	50	3			621	1,68
05-0060	180	40	3			651	1,76
05-0127	180	40	4			864	2,33
05-0176	180	50	3			681	1,84
05-0101	180	70	10			2400	6,48
05-0093	180	80	10			2500	6,75
05-0154	180	100	8			2176	5,88
05-0175	180	150	6			1944	5,25
05-0061	200	40	3			711	1,92
05-0107	200	40	4			944	2,55
05-0158	200	70	12			3096	8,36
05-0062	200	100	10			2900	7,83
05-0108	220	40	3			771	2,08
05-0109	220	40	4			1024	2,76
05-0110	240	40	3			831	2,24
05-0111	240	40	4			1104	2,98